






**NATIONAL
WEATHER
SERVICE**

Model Development Priorities at EMC

The Team
IOOS Advisory Committee meeting
December 5, 2023





- **Acknowledgements**

- All of the outstanding scientists and engineers at the Environmental Modeling Center, and Collaborators within NOAA, at other Federal agencies, Academia, and the Private Sector


- **Reference**

- [EMC 5-Year Implementation Plan](#)





What comprises an NWP Application?



Pre-processing and data assimilation

- Stages inputs, performs observation processing, and prepares an analysis

Model forecast

- Integrates the model or ensemble of models forward

Post-processing and verification

- Assesses skill and diagnoses deficiencies in the model by comparing to observations

Workflow


- Executes a specified sequence of jobs

Computing and collaboration environment

- May be different for research (experiment focus) and operations (forecast focus)
- Provides actual or virtualized hardware, databases, and support




Current State of NCEP Production Suite



- NCEP operates more than 38 distinct modeling systems to meet the stakeholder requirements
- Quilt of Models developed to meet the service needs over a long period of time
- Simplification of NCEP Production Suite is critical to reduce redundancy and improve efficiency


The Goal: Transition to UFS Applications and Simplify NCEP Production Suite



NPS Transitioning to UFS Applications


“UFS is configurable into multiple applications that span local to global domains and predictive time scales from less than an hour to more than a year.”

Conceptual UFS applications in production covering all NPS applications, maintaining the dependencies between the applications and products.





Notional Schedule for Transition to UFS Applications






Hurricane Analysis and Prediction System







HAFSv1 Approved for Operational Implementation for 2023 Hurricane Season



MODEL FORECAST — TRACK FORECAST SKILL (%) STATISTICS
VERIFICATION FOR NHC BASINS 2023





MODEL FORECAST — INTENSITY RELATIVE SKILL (%) STATISTICS
VERIFICATION FOR NHC BASINS 2023





HAFS Development Priorities: future innovations






Global Coupled Prediction Systems



MRW/S2S: Building a Six-Way Global Coupled Unified Forecast System

For future GFS, GEFS and SFS

Warm shade: Surface Temp, Contour: MSLP, Cool shade: Convective Cloud Cover, Arrows: 10m Wind
C3072L127 2018090100 1000



UFS Earth System Model Components:

- FV3 (Atmosphere)
- MOM6 (Ocean)
- CICE6 (Sea Ice)
- WW3 (Waves)
- NOAH-MP (Land)
- GOCART (Aerosols)

A fully coupled UFS serves as a foundation for future operational global forecast systems at NOAA/NWS/NCEP ranging from weather to subseasonal to seasonal scales.


Coupled UFS Prototypes 1–8

Prototype	Atmospheric Model C384 (~0.25 degree) horizontal resolution			Ocean Model Tripolar ~0.25 degree horizontal resolution	Wave Model Regular lat/lon 0.5 degree grid	Ice Model Tripolar ~0.25 degree horizontal resolution	Mediator		
	Dynamical Model	Physics Settings & Driver	Land Model						
P1	FV3 64 layers, Non-Fractional grid (model top at 54km)	GFSv15.2, IPD driver	Noah LSM	MOM6	N/A	CICE5	NEMS		
P2		GFSv15.2, CCPP driver			WW3				
P3.1									
P4									
P5		CICE6 (Mushy TD not turned on)	CMEPS						
P6						FV3		GFSv16	Noah-MP LSM
P7						127 layers, Fractional grid (model top at 80km)		Modified GFSv16	
P8	Further Modified GFSv16	Modified Noah-MP LSM	(P8+ includes one-way coupled aerosols)						




No Double ITCZ in UFS P8 climate run

A




[Hwang and Frierson, 2013, PNAS]




UFS P8 overestimates ITCZ, but doesn't show double ITCZ


(a) MSWEP



(b) UFS P8




(c) UFS P8 - MSWEP





SFSv1 Planning: Ten Focus Areas






Regional Prediction System



Rapid Refresh Forecast System (RRFS)

A UFS Application

- FV3 dynamical core Limited Area Model
- Hourly updated
- 3 km grid spacing over North America
- 65 vertical layers
- Hybrid 3D EnVar assimilation (30 members)
- Includes Smoke & Dust
- Deterministic forecasts to *at least* 18h every hour
- Deterministic & Ensemble forecasts to 48+h every 6 hours



RRFSv2

- Possible transition from FV3 dynamical core to MPAS
 - Motivated by long standing performance issues with convective-storms
- Adding American Samoa and Micronesia Support
- Expanding ensemble forecast membership/cycles
 - Moving to single physics if not accomplished in v1
- Transition from GSI to JEDI data assimilation software/infrastructure
- Inclusion of more blending/overlapping-windows/multi-scale information for analysis
- Addition of new observations: DPQC radial velocities, GREMLIN, PBL height, all-sky radiances, etc...
- Transition to Noah-MP LSM, RRTMGP?, Air Quality/Chemistry?



Data Assimilation Advancements: Transition to JEDI



Joint Effort for Data assimilation Integration

Infrastructure for Unified Data Assimilation

GSI in operations since 2007, but portions of the code are 30+ years old


JEDI is a project within the Joint Center for Satellite Data Assimilation (JCSDA)

JEDI provides a software infrastructure for DA that:

- is model agnostic (but requires an interface to models!)
- is generic and portable
- does not impose specific methodologies or algorithms
- allows to share efforts (new observation types, etc.) across different orgs.

JEDI will allow us to have one shared codebase for all DA, from global to regional, and for all Earth-system components





Notional JEDI Transition Schedule

Full Transition
Non-Atm Components





NATIONAL WEATHER SERVICE

Review/Current Status & 10 Year Strategy

Completing Final Review

History & Current Status

- Introduction
- Atmospheric Systems
- Marine, Land, Composition, and Coupled Assimilation
- Current Use of Observations
- Monitoring & Observation Impacts
- Current Implementation Procedure



10 Year Strategy

- Introduction
- Advanced Infrastructure/JEDI
- Research and Development
- Data Assimilation Vision - Holistic Approach



NATIONAL WEATHER SERVICE



Application of AI/ML for Operational NWP





EMC Developments in ML for NWP & Climate

NN LWR for DAS

ECMWF

2000

2018

NN Training and Validation
Software

NN SSM/I
Wind Speed
Retrieval
Algorithm

NN
Nonlinear
Wave-Wave
Interaction

Hybridization
Paradigm
was
Introduced

Decadal
(50years) Climate
Simulations wit
Hybrid NCAR
CAM

NN
Radiation
for NCEP
GFS

New NN Moisture
Parameterization
Based on CRM
Data

NN Technique
For Filling Gaps
In Satellite Data

NN Wave
Ensemble

NWS

1995 1997 2002 2005 2006 2007 2008 2010 2012 2013 2014 2016 2018 2019 2020 Years

NN SSM/I
Forward
Model for
Direct
Assimilation

NN Long
Wave
Radiation
for NCAR
CAM

NN
Observation
Operator for
DAS

Decadal Climate
Simulations wit
Hybrid NCEP
CFS

NN
Ensemble
Averaging

NN Emulation
of Super-
Parameterization

NN
Biological Model
for DAS

NN Model
Physics
Suite for
FV3GFS

UKMO



2018



Current/Planned AI/ML Activities at NCEP/EMC

Observations	Data Assimilation	Forecast	Post/Product
Radiosonde processing	Physics emulation	AC Accelerated Transport	Wave Systems
Satellite Thinning	Improved Background	Atmospheric Chemistry Emulator	Air Quality Bias Correction
AMV super-observations and error estimation	Background Error Covariances	Physics Suite Emulation	Sub-Seasonal/ Seasonal forecast products
Conventional / Aircraft quality control	CRTM emissivity modeling	Radiation Parameterizations	
Observation Anomaly Detection	High-resolution background downscaling and emulation	Ensemble Forecasting / Forecast Model Emulation	
	Radiance bias correction	Fire emissions for sub-seasonal to seasonal predictions	

Challenges: HPC Resources



** Significant increase in R&D HPC is anticipated from DRSA, BIL, and IRA; still may be insufficient for R20



Imagine a World

*

- **Operational Production Suite backbone of continuously assimilating comprehensive coupled Earth System Model**
 - **“Digital Twin” - constant update of global state and innovation of training data**
- **Regular prediction systems (e.g., 2/day global, hourly CAM) and ad hoc (hurricane, fire, dispersion, etc)**
- **Variety of approaches - deterministic, ensemble-based, surrogate systems trained on reanalysis and backbone**
- **Cloud-based systems to accommodate HPC requirements as-needed**

**



Thank you!